

Cable Modem Providers HOWTO

Table of Contents

<u>Cable Modem Providers HOWTO</u>	1
<u>Vladimir Vuksan</u>	1
<u>Introduction</u>	4
<u>New Versions of this Document</u>	4
<u>Feedback</u>	4
<u>Contributors</u>	4
<u>Standard Disclaimer</u>	4
<u>Copyright Information</u>	5
<u>Setting up your Ethernet Card</u>	6
<u>Regular Cable Modem ISPs</u>	7
<u>MediaOne Express</u>	7
<u>@Home</u>	7
<u>Notes for Baltimore, MD and Colleyville, TX</u>	8
<u>Notes for Milpitas, CA, USA</u>	8
<u>Notes for Salt Lake City, UT, USA</u>	8
<u>Notes from Connecticut, USA</u>	9
<u>Notes from Dallas, TX or anyone using Motorola CyberSurfr</u>	9
<u>Notes from Louisville, KY by Devin Bundrent <mrscoobdoo@home.com></u>	9
<u>Notes from Madison, WI and Lakeridge, VA</u>	9
<u>Notes from Baton Rouge, LA by Van Goodwin <positron@redstroke.com></u>	10
<u>RoadRunner</u>	10
<u>Rogers@Home</u>	10
<u>Sunflower Cablevision</u>	11
<u>Jones Intercable</u>	12
<u>GTE Worldwind</u>	12
<u>SpeedChoice, Phoenix, Arizona</u>	13
<u>Cedar Falls Utilities Cybernet, Cedar Falls, Iowa</u>	13
<u>Telstra Big Pond Advance, Australia</u>	13
<u>Fibertel, Buenos Aires, Argentina</u>	14
<u>Videotron (Videon), Canada</u>	14
<u>Telekabel (Teleweb), Austria</u>	15
<u>Tebecai, Netherlands</u>	16
<u>A2000, Netherlands</u>	16
<u>Shaw Cable, Canada</u>	16
<u>Cogeco Cable, Canada</u>	17
<u>Optimum Online, New York and Connecticut</u>	18
<u>Singapore Cable Vision, Singapore</u>	19
<u>Cable Wanadoo, France and Netherlands (formerly Casema)</u>	19
<u>Prime Cable Expressnet, Las Vegas, NV</u>	21
<u>TVD, Belgium</u>	22
<u>Telenet Vlaanderen, Belgium</u>	22
<u>Total-Web, United States</u>	23
<u>CyberCable, Paris, France</u>	23
<u>StjärnTV, Stockholm Sweden</u>	24

Table of Contents

GCLNet, Alaska	24
Saturn Communication NZ Ltd, New Zealand	24
Chello, Netherlands	25
Adelphia Powerlink, USA	25
21st Century Telecom, Chicago, IL, USA	25
HTVi, Helsinki, Finland	26
Garden State Cable, New Jersey	26
Zoom Internet, Butler County, PA	27
Charter Pipeline, St. Louis Metro Area	27
Netcabo, TV Cabo, Portugal	27
Supercable, Spain	27
NTL, United Kingdom	28
Hybrid Cable modem ISPs.....	29
Adelphia Powerlink, USA	29
LinkExpress, Brasil	29
ExpressNet, Maryland	30
Charter Pipeline, Riverside, CA	31
Chambers Cable, Chico, CA / Fundy Cable, New Brunswick	31
Smyrna Cable, Atlanta, GA	32
Amnet de Costa Rica, Costa Rica	32
Prime Cable, Chicago, IL	35
Millennium Digital Media, Maryland	36

Cable Modem Providers HOWTO

Vladimir Vuksan

vuksan@veus.hr

Revision History

Revision v4.15

April 24, 2000

Revised by: vv

Many changes

This document attempts to answer basic questions on how to connect your Linux box to cable modem or cable Internet provider.

Table of Contents

[*Introduction*](#)

[*New Versions of this Document*](#)

[*Feedback*](#)

[*Contributors*](#)

[*Standard Disclaimer*](#)

[*Copyright Information*](#)

[*Setting up your Ethernet Card*](#)

[*Regular Cable Modem ISPs*](#)

[*MediaOne Express*](#)

[*@Home*](#)

[*RoadRunner*](#)

[*Rogers@Home*](#)

[*Sunflower Cablevision*](#)

Cable Modem Providers HOWTO

[Jones Intercable](#)

[GTE Worldwind](#)

[SpeedChoice, Phoenix, Arizona](#)

[Cedar Falls Utilities Cybernet, Cedar Falls, Iowa](#)

[Telstra Big Pond Advance, Australia](#)

[Fibertel, Buenos Aires, Argentina](#)

[Videotron \(Videon\), Canada](#)

[Telekabel \(Teleweb\), Austria](#)

[Tebecai, Netherlands](#)

[A2000, Netherlands](#)

[Shaw Cable, Canada](#)

[Cogeco Cable, Canada](#)

[Optimum Online, New York and Connecticut](#)

[Singapore Cable Vision, Singapore](#)

[Cable Wanadoo, France and Netherlands \(formerly Casema\)](#)

[Prime Cable Expressnet, Las Vegas, NV](#)

[TVD, Belgium](#)

[Telenet Vlaanderen, Belgium](#)

[Total-Web, United States](#)

[CyberCable, Paris, France](#)

[StjärnTV, Stockholm Sweden](#)

[GCI.Net, Alaska](#)

[Saturn Communication NZ Ltd, New Zealand](#)

[Chello, Netherlands](#)

[Adelphia Powerlink, USA](#)

[21st Century Telecom, Chicago, IL, USA](#)

[*HTVi, Helsinki, Finland*](#)

[*Garden State Cable, New Jersey*](#)

[*Zoom Internet, Butler County, PA*](#)

[*Charter Pipeline, St. Louis Metro Area*](#)

[*Netcabo, TV Cabo, Portugal*](#)

[*Supercable, Spain*](#)

[*NTL, United Kingdom*](#)

[*Hybrid Cable modem ISPs*](#)

[*Adelphia Powerlink, USA*](#)

[*LinkExpress, Brasil*](#)

[*ExpressNet, Maryland*](#)

[*Charter Pipeline, Riverside, CA*](#)

[*Chambers Cable, Chico, CA / Fundy Cable, New Brunswick*](#)

[*Smyrna Cable, Atlanta, GA*](#)

[*Amnet de Costa Rica, Costa Rica*](#)

[*Prime Cable, Chicago, IL*](#)

[*Millennium Digital Media, Maryland*](#)

Introduction

The main goal of this document is to get your system running with your cable modem, and cable internet provider. Unfortunately, many ISPs that provide cable modem services, give you Windows and Macintosh software only.

This document attempts to explain how to setup some cable modems and internet providers in Linux, the tricks to get them working correctly, and the traps not to fall down. It is hoped that this document will assist you, however we make no claims for the validity of the information contained within.

New Versions of this Document

The newest version of this HOWTO will always first be made available on

<http://www.cs.unm.edu/~vuksan/linux/Cable-Modem.html>

Feedback

Feedback is most certainly welcome for this document. Without your submissions and input, this document wouldn't exist. So, please send your additions, comments and criticisms to [<vuksan-feedback@veus.hr>](mailto:vuksan-feedback@veus.hr).

Contributors

The following people have contributed to this mini-HOWTO.

- Dan Sullivan [<dsulli@home.com>](mailto:dsulli@home.com)
 - Andrew Novick
 - Michael Strates
-

Standard Disclaimer

No liability for the contents of this documents can be accepted. Use the concepts, examples and other content at your own risk. As this is a new edition of this document, there may be errors and inaccuracies, that may of course be damaging to your system. Proceed with caution, and although this is highly unlikely, I don't take any responsibility for that.

Also bear in mind that this is *NOT* official information. Obtaining official information is usually an impossibility with many ISPs. Much content in this document are assumptions, which appear to work for people. Use the information at your own risk.

Copyright Information

This document is copyrighted (c) 1998 Vladimir Vuksan and distributed under the terms of the OpenContent License (OPL). Full text of the license can be found at <http://www.opencontent.org/opl.shtml>

Setting up your Ethernet Card

All of the setups below use ethernet cards (network cards) to connect you somehow to the Internet. That is why first we need to check if your ethernet card is working and most importantly can be used (read is supported) in Linux. There is a comprehensive Ethernet HOWTO at <http://www.linuxdoc.org/HOWTO/Ethernet-HOWTO.html> if you would like to read it otherwise try this.

Boot into Linux, During boot up a message like this should appear...

```
eth0: 3c509 at 0x300 tag 1, 10baseT port, address 00 20 af ee 01 23, IRQ 10.  
3c509.c:1.07 6/15/95 becker@cesdis.gsfc.nasa.gov
```

If you missed it type **dmesg**.

If you see a message like that you are set and you can go to the next section. If you can't see a message like this there are two possible explanations, your ethernet card is PNP (plug-n-play) and you need to use tools such as isapnptools to get it recognized (I am not quite sure on this because I don't have a single PNP card so correct me if I am wrong). The other explanation is that you need to set up your card.

Most cards today come with DOS programs that are used to setup your card. For example to get my 3COM 3c509 to work all I needed to do is boot into DOS and use a utility to configure my card. There is usually a Auto Configure option. If that does not solve your problem try changing the IRQ for the card using the same utility. I find that usually IRQs 10,11 and 12 work well. If none of this solves your problem please read the Ethernet HOWTO referenced above or post to a newsgroup such as comp.os.linux.setup or comp.os.linux.networking.

Regular Cable Modem ISPs

If you think you have the card recognized you have to now look at the entry for your ISP. I have sorted the information according to a provider because setups are mostly ISP specific.

MediaOne Express

MediaOne Express is a Internet cable service provided by MediaOne. The hardware setup consists of a cable modem produced by LanCity or General Instruments which plugs into an ethernet card using a 10BaseT (UTP-45) cable. Assignment of IP addresses and other networking information is done using DHCP which stands for Dynamic Host Configuration Protocol. The only thing you need to do is read the DHCP mini-HOWTO and configure your system appropriately. There is no other necessary configuration. DHCP mini-HOWTO can be found at <http://www.oswg.org/oswg-nightly/DHCP.html>.

Information about MediaOne Service can be found at <http://www.mediaone.com>.

@Home

@Home uses a similar setup to [MediaOne Express](#). However, there are a few fundamental differences, outlined by contributors. Since @Home spans different geographic locations you might get assigned different kind of equipment and have slightly different kind of setups.

Before you try anything, go to control panel, network, and properties for your network card. Write down all of the information. You will need it later.

TCI, the company that runs @Home issues a Etherlink III 3c509b NIC for all of their customers. What TCI does not tell you is that when they install your ethernet card, it is in PnP mode. Now in Slakware, if you uncomment the proper line for this card, everything will appear to be working fine. There will be no system problems, but the 'PC' light on your CyberSURFR modem will never turn on. If you are using Slakware, and are having this problem, reboot in DOS and skip the next paragraph.

In RedHat 5, your system will have some trouble autodetecting the card. If you try to pass the paramaters manually, the system will hang. This should be obvious that your card is not setup properly. Before wasting anymore time, reboot in DOS (This is a must because as of 12/25/97, there is no utility written for Linux to turn off PnP and turn on ISA.)

TCI does not give out a utility disk for your ethernet card, so you must download the utility from one of 3Com's sites. Here is a link to 3COM's page for driver download.

<http://support.3com.com/infodeli/tools/nic/index.htm>

Once you have downloaded your driver files you will need to run them and disable the PNP mode of your network card.

What you've now done will make your ethernet card 'broken' in Windows 95. You'll need to go to Control

Cable Modem Providers HOWTO

Panel, Network, and remove the network card and the adapter. Reboot your computer, and again go back to control panel. Go to add/remove new hardware, and have it autodetect. It will automatically setup the correct i/o address for you. You will most likely need to reboot again. Now you should be in Windows 95, with the 'PC' light on your cable modem on. You will also notice that none of your internet applications seem to work, you can't ping, and you can't resolve DNS. You now must go back to control panels, network, and click on properties for your network card (not the adapter). Re-enter all the data you wrote down, and reboot.

With a little luck, your ethernet card should be working in Windows 95, and ready to rock in Linux.

If you live Hampton Roads, VA or Phoenix, AZ you should read a little note from Mark Solomon

With the @home service in Hampton Roads, VA, it is absolutely necessary to run dhcpd-0.70 (or higher) that supports the "-h" option to specify the hostname of your computer. Without this switch the @home dhcpd server will not assign addresses.

@Home user from Hampton Roads Scott Stancil <[sstancil@home.com](mailto:ssstancil@home.com)> has provided an RPM that can be used to easily configure @Home connection. Check it out at <http://www.linuxforum.com/plug/projects.html>

More information on setting up dhcpd-0.70 and @Home service with Intel Ether Express cards can be found at <http://www.monmouth.com/~jay/Linux/>

Notes for Baltimore, MD and Colleyville, TX

In Baltimore subscribers are issued Intel Ether Express Pro 10 nics and a static IP number.

Notes for Milpitas, CA, USA

Information provided by Joe Byrne

@Home service assigns 3Com 509b cards. IP addresses assigned statically.

Notes for Salt Lake City, UT, USA

Information provided by <akaiceman@hotmail.com>.

@home (at least in the Salt Lake City, Utah areas, i'm not sure if this is everywhere yet) has started giving out 3com 900B NIC's, unless you ask for a ISA card in particular. 3COM 900B are PCI based ethernet cards which might require kernel recompilation.

Notes from Connecticut, USA

Information provided by <dan@sidhe.org>.

The @Home folks are using Motorola cable modems (I know, I got one) in addition to any other brand folks have reported. If it's getting hooked into a hub it needs to either get plugged in with a twisted-pair cross-over cable or go into the 'to other hubs' port if your hub has one. (Which is standard, I expect, for these things, but useful to keep in mind if, like me, you're hooking the thing on to an existing local network) I have a plain Compaq 10/100 ethernet card (I think it's the NC3131, but I'm not 100% sure) in my linux box and it worked without a hitch.

Also, they are handing out fixed IP addresses, at least in Connecticut, and you can get up to three. (They charge \$4.95/mo for each extra IP address they allocate) They make no requirements on the OSes on these extra machines—I've a Vax running VMS and they didn't bat an eye when I signed it up. They did want the initial machine to be something they recognized (I booted over to Win98 for the duration) but they would've handled a linux-only install if really, *really* pressed

Notes from Dallas, TX or anyone using Motorola CyberSurfr

If you have a Motorola CyberSurfr cable modem you will need to press the reset key on the back of the modem if you switch network cards. The ethernet card hardware address is read by the modem and once it is setup if the card is switched it must be reset. Just press the reset key for 10+ seconds and it will reread.

If you are still not able to get your cable connection going check out mini-HOWTO for cable modems and Cox@Home at http://www.kernel-panic.com/user_files/cox.at.home.html

Notes from Louisville, KY by Devin Bundrent <mrscobdoo@home.com>

As of now, @Home/Insight issues Realtek RTL8029(AS) PCI Ethernet NICs, and Static IP addresses. In addition, the customers of the service are given (by default, others can be bought, and used) the RCA DCM105 Digital Cable Modem, without utilities disk.

Notes from Madison, WI and Lakeridge, VA

I have a cable modem from Bresnan in madison wi, they use the @home network for internet traffic and supply there users with the RCA cable modems. In the howto it states that the -h flag should be used for the host name with dhcpcd. That didn't work for me. They provided me with a machine name of cb46597-a.mdsn1.wi.home.com, the cd46597-a obviously being my hosts name.... anyway.. the flag I had to use to get dhcpcd working was the -I flag for ClientID. ClientID is actually the MAC (Ethernet) address of your NIC e.g. 00:00:21:61:7C:F0.

Notes from Baton Rouge, LA by Van Goodwin

<positron@redstroke.com>

Here, @Home doesn't seem to have a standard ethernet card. They gave me a "SMC EtherEZ" ISA card, but I've seen them install totally different cards in other systems. The installer told me they gave static IP addresses to people who use Windows NT and dynamic to everyone else. Don't ask me why.

Information about @Home Service can be found at <http://www.home.com/>.

RoadRunner

RoadRunner is an Internet cable service provided by Excalibur Group (Time Warner). The hardware setup consists of a cable modem produced by Motorola and Toshiba which plugs into an ethernet card using a 10BaseT (UTP-45) cable. From what I can gather RR uses DHCP for IP assignment. In order to set up Linux to use DHCP you need to read the DHCP mini-HOWTO <http://www.oswg.org/oswg-nightly/DHCP.html>.

If this doesn't work out for you you should check out <http://www.math.uakron.edu/RoadRunner/> for Akron, Ohio and <http://people.qualcomm.com/karn/rr/index.html> for San Diego, California. It might help solve your problem.

Another good site is <http://www.vortech.net/rrlinux/>.

One more thing that might be worth mentioning: you will need a Windows NT, 95, or 98 or Macintosh PC for the RoadRunner installers to configure the modem. It's not technically necessary, but they will insist, and will not install on a Linux system. It's also best not to mention the IPFW system while they're around.

Information about RoadRunner Service can be found at <http://www.rr.com/>.

Rogers@Home

The hardware setup consists of a cable modem produced by LanCity which plugs into an ethernet card using a 10BaseT (UTP-45) cable.

When the cable modem is installed by Rogers@Home technicians you are assigned a static IP address. They should also provide you with information on your subnet mask, router (gateway) numbers and DNS numbers.

If above doesn't help you can check out Randal Leavitt's <randal.leavitt@home.com> "Connection Notes" for Rogers@Home at <http://members.home.net/randal.leavitt/CableModemConnectionNotes.html>.

Notes from Greg Jacobs

They now only give out dynamic IP's. The techs says its pretty much fixed after first issue, they just want to use DHCP so any network changes on their end can just be 'pushed out' so to speak.

Also Make sure any cablemodem uses ensure they don't use a DHCP server on their cablemodem interface. The cable company gets very angry and often pull the plug then tell you ;).

Notes from Baton Rouge, LA by Van Goodwin <positron@redstroke.com>

Other information about Rogers@Home Service can be found at <http://www.rogers.home.com/>.

Sunflower Cablevision

This information is provided by Andrew Novick:

"I recently saw your cable modem howto and I have an addition. Sunflower Cable is a company strictly in Lawrence KS, however we have a rather large Linux community because of the University of Kansas. On our local LUG mailing list, we are starting to get more and more questions on how to configure their linux machine for the cable modem. It is just regular static addressing, and the modem is made by Zenith."

To configure your Linux box make sure you get all the pertinent information from the Cablevision tech support or use these.

- IP address: Assigned by SunFlower Cablevision
- Subnet mask: 255.255.255.0
- Gateway (router) address: 24.124.11.254
- Hostname: Assigned by SunFlower Cablevision
- Domain name: lawrence.ks.us
- Primary DNS server (nameserver): 24.124.0.1
- Secondary DNS server (nameserver): 24.124.0.6

Have all those numbers written down before you proceed. To register, visit <http://www.sunflower.com/>.

To register in the lawrence.ks.us domain contact Stephen Spencer at gladiatr@artorius.sunflower.com.

Under RedHat use Control Panel and Network Configuration to put in these numbers. Just say Add Interface, Device type=Ethernet, Device name=eth0 (this is zero not O in eth0) then fill out all the fields. Then click activate.

In Slackware type netconfig. When you are finished reboot and you should be up and running.

If this doesn't work make sure you do network card troubleshooting from the beginning of this document.

Jones Intercable

This information is provided by Bob Kimble:

Jones Internet Cable supplies a Hybrid cable modem that connects to your machine / network via 10BaseT ethernet. They provide you with a static IP address for your machine, and another static IP address for the modem. The modem acts as a gateway to their network. Your IP address and the modem IP address are on the same network and have the same network mask (in my case 255.255.255.0 -- 24 bits). They also provide two DNS IP addresses which you enter into your configuration. I just entered the numbers when I installed Red Hat Linux 5 and it worked like a champ from the beginning. Since then I have configured my Linux machine to enable IP masquerading and domain name services, and it now acts as a router for my entire private network. My other machines are connected via a private network using the addresses 192.168.0.x. They are running Windows 95, Windows NT (Intel and Alpha) and OS/2. My Linux machine has two IP addresses -- the one from the cable company and one from the 192.168.0.x private network. Everything works like a champ. All six machines can browse the web simultaneously. My kids are even able to connect to their favorite game site, "The Realm" from Sierra.

GTE Worldwind

This information is provided by Blake R. Swopes (bhodi@bigfoot.com):

GTE WorldWind service is available in only a few areas (parts of California and Florida), its home page is located at <http://www.gtecablemodem.com/>.

GTE will send a technician out to hook up the cable modem to the wall, but does not do any configuration of your computer. The cable you hook up to your computer is the ethernet standard 10baseT (and you'll probably need to buy your own, since the one they left with me was only about two feet long).

The technician should leave you some information about configuring your system (IP address, gateway address, netmask, DNS addresses) and the number for GTE's support line (1-800-GTE-VIDEO, since WorldWind is attached to GTE's Americast cable service). If you have read the Ethernet-HOWTO and the DHCP mini-HOWTO, you should have no trouble configuring your system to work with WorldWind.

GTE provides one e-mail address, which they assign to you, but you can create aliases to that account and web mail accounts through gte.net.

According to GTE, they block inbound traffic on several ports for security purposes and to keep people from running servers that will eat into other users' bandwidth (e.g., telnet, DNS, News, and Netbios (Good news for Windows users)). In actual practice, I have found that I was able to telnet into my system from remote hosts.

GTE does not provide technical support for Linux users, so you will pretty much be on your own. My experience was that as soon as I mentioned Linux, they tried to get me off the phone, but that might have been the particular tech I was speaking to at the time.

GTE also advised me that they do not support users who have IBM Aptivas, however I was able to briefly connect an IBM Aptia 2176-C77 with a SOHOWare PCI 10/100 Ethernet Card to the service with no trouble at all.

I regularly test my connection speed through the bandwidth test at MSN (<http://computingcentral.msn.com/topics/bandwidth/speedtest.asp>) and regularly find my connection speed to be between 320–390Kbps. Depending on the site, I have seen transfers at up to 135K, though the average is probably 35–45.

SpeedChoice, Phoenix, Arizona

According to Micah <peenchee@asu.edu>:

Just thought I'd let you know that in my area (Phoenix, AZ, usa) there is a company called speedchoice that provides cable modem service. The service uses a hybrid cable modem and the set up is almost identical to that of Jones intercable described in the howto. See [Jones Intercable](#). For any other issues mail Micah.

Cedar Falls Utilities Cybernet, Cedar Falls, Iowa

This information is provided thanks to Joe Breu <breu@cfu.net>

We are an ISP in Cedar Falls, Iowa that uses a mix of Zenith, Lancity, and DOCSIS Cable Modems over our own Hybrid Fiber/Coax system. Our system uses no proprietary connection software and is straight TCP/IP connections. We do use DHCP, but will offer static IP addresses to customers with older Macintosh machines or computers unable to use DHCP. We will answer basic questions if you want to hook up a Linux box to our network but it should be drop and surf.

Telstra Big Pond Advance, Australia

This information is provided by Mike Battersby <mib@post.com>

Linux is not an officially supported platform for Telstra Big Pond Advance cable internet. Do not report faults regarding Big Pond Advance and Linux to them, as they will not help you.

In order to use Big Pond Advance under Linux, you will need:

- a working NIC
- a DHCP client, to obtain an IP address
- a BIDS v2 (Broadband Internet Delivery System) login client

For more information on getting a DHCP client working, see the DHCP mini-HOWTO: <http://www.oswg.org/oswg-nightly/DHCP.html>.

Big Pond Advance user Shane Hyde wrote and maintains an excellent open source BIDS v2 login client,

BPALogin. The BPALogin web site is: <http://www.users.bigpond.net.au/bpalogin/>. Available at the same site is a page of instructions on getting BPALogin to work with Linux: <http://www.users.bigpond.net.au/bpalogin/tutorial.html>.

Basic steps for connecting to Big Pond Advance under Linux are:

- get your Network Interface Card working.
- get a DHCP client to request an IP address.
- authenticate with BPALogin

See the tutorial on the BPALogin site (<http://www.users.bigpond.net.au/bpalogin/tutorial.html>) for more details.

Fibertel, Buenos Aires, Argentina

This information is provided by Pablo Godel.

My name is Pablo Godel and want report that I'm using the cable service of Fibertel in Buenos Aires, Argentina and it works perfectly with Linux.

They gave me a static IP. The brand of the cablemodem is COM21 and the model is ComPort.

I connect it to the nic properly, configured in Linux and it worked perfectly.

More information about Fibertel can be found at <http://www.fibertel.com.ar>.

Videotron (Videon), Canada

I don't have much information about Videotron except the fact that they use DHCP for the assignment of IP addresses and other networking information. Just read the [DHCP mini-HOWTO](#) and configure your system appropriately. There is no other necessary configuration. Also important thing to note is that the Ethernet card that Videotron distributes is a NE2000 compatible PCI card for which you need to use.

ne2k-pci driver

Additional information from Philip Gwyn <gwynp@artware.gc.ca>:

They use Motorola CyberSURFR (sic) modems. This will give you an ethernet NIC when you sign up. They gave me a TMC NE2000 PCI clone, which Linux recognises as a "RealTek RTL-8029". It couldn't configure it properly however, until I downloaded the manufacturer's driver disk and changed the media type to "auto-config".

Cable Modem Providers HOWTO

While they can't guarantee to get it working with Linux, they will do a bit of hand holding so it works. Many of the tech-support have Linux-clues, as it were, even asking questions like "what kernel are you running?" "do you have the latest version of dhcpd?". When their DHCP server broke, they even suggested I delete the cache files in /etc/dhcpd to start over from zero, as it were. This worked.

Additional information from Mihai Petre <mihaip@videotron.ca>:

Yes they are using DHCP for the tcp settings. They have also included dhcpd on their ftp server at <ftp://ftp.videotron.ca/pub/linux/>. You can also try posting your problems on news.powersurfr.com newsgroup videon.linux.

As far as running servers using your cable connection according to Alex Nuta says that "contract explicitly states that *no* servers of any kind are permitted; HTTP, FTP or otherwise".

Additional information from Stasnilav Kogan <s_kogan@alcor.concordia.ca>:

The modem they provide is now Samsung InfoRanger (SCM-100R). The ISA card they provide is an SMC NE2000 compatible (FCC ID: HED1661EN2). It is necessary to configure the card from DOS to NE2000 mode before attempting to get it to work under Linux. (Generally, this card is horrible. I replaced with a 3Com card as soon as possible).

The technical support in Videotron is absolutely HORRIBLE. (Not to mention Linux support). So, whoever signs up with them, should expect to work alone. However, aside from the NIC problems, the setup was a breeze. They use DHCP, so all the standard procedures apply.

Information about Videotron can be found at <http://www.videotron.ca>.

Telekabel (Teleweb), Austria

According to Andreas Kostyrka:

- You may want to mention, that the Austrian Telekabel (Teleweb) ISP works with Linux. It seems quite similiar like MediaOne Express (3c509+dhcp, etc.)
- Second there are 3COM configuration utilities for Linux (But don't fool around with them on a busy system, 3c509 may lock the bus if touched the wrong way :():
 - ◆ <ftp://ftp.redhat.com/pub/contrib/hurricane/SRPMS/3c5x9utils-1.0-3.src.rpm>
 - ◆ <ftp://ftp.redhat.com/pub/contrib/readmes/3c5x9utils-1.0-1.README>

Information about Telekabel can be found at <http://www.telekabel.at/>.

Tebecai, Netherlands

According to Frodo Looijaard:

Tebecai is yet another provider which uses a LANcity cable modem connected to a 10BaseT ethernet card. DHCP is used for configuration (see the [DHCP mini-HOWTO](#)). A step-by-step guide to install the cable modem under Linux can be found at <http://huizen.dds.nl/~frodol/> (in dutch), but it is really very straightforward. You must only remember that your IP-address is not visible from the Internet (it is on the private 10.x.y.z subnet), so you can not setup a publicly available server.

Information about Tebecai can be found at <http://www.tebenet.nl> (in dutch only).

A2000, Netherlands

This information is provided by Johan List <J.A.List@speed.A2000.nl>:

Basically the way to go is the same as with Tebecai. A2000 provides cable internet access by means of a LANCity cable modem, connected to an 10BaseT ethernet card. This also works well for the "Vortex/Boomerang" cards by 3COM (I've got a 3COM Boomerang Fast Etherlink XL 10/100Mb TX Ethernet Adapter), providing you compile the Vortex/Boomerang drivers. (See the Linux Ethernet-HOWTO)

Setting up access can be done with DHCP (See the DHCP-Mini-HOWTO). A Dutch guide to setting up Internet access for A2000 is available at <http://agvk.a2000.nl/antwoorden/linux/>.

Contrary to Tebecai, your IP-number *is* visible from the Internet, so take your precautions regarding security and safety when setting up a Linux machine using A2000 Internet access!!

Update on January 23rd

Since 1 january 2000, A2000 has become a part of Chello Internet (<http://www.chello.nl>). At least until october 2000 the current settings can be used, but a couple of URL's have changed.

Since the old situation is probably going to change permanently this year (new domain names for news server, email/POP3 server, FTP server and so on) it's probably a wise idea to keep the new settings in mind, which can be found at: <http://noordholland.coax.nl/instellingen.html>.

Shaw Cable, Canada

According to Peng F. Mok <pmok@shaw.wave.ca>:

I recently signed up for a cable modem service from Shaw Cable here in Canada, which runs under Shaw@Home brand. Shaw has been upgrading their cable network for about a year and a half now, and now offer cable-modem service to a number of locations across Canada. Information about the `Shaw@Home' service can be found at <http://shaw.home.com> General information about Shaw Cable can be found at <http://www.shaw.ca>.

Cable Modem Providers HOWTO

I thought I'd just drop you a line to inform you that your [DHCP mini-HOWTO](#), was very useful in helping me set up Linux to work with my cable-modem service, and that you might want to add `Shaw@Home' to your Cable-Modem mini-HOWTO as another entry. I don't have specific information on the `Shaw@Home' service yet, but from conversations I've had with Shaw technical support it seems that `Shaw@Home' is a partnership with [@Home](#) and involves the same features and setup procedure as that already described for [@Home](#) in the Cable-Modem mini-HOWTO document.

In both services Shaw Cable techs will come over and bring you two pieces of hardware — a Motorola CyberSURFR cable-modem and either a 3Com EtherLink III 16-Bit ISA 3C509B-TPO NIC or an EtherLink XL PCI 3C900-TPO NIC. You have your choice of either an ISA or a PCI card depending on your needs, and these models only have the RJ-45 (UTP) connectors. The ISA cards come with PnP-mode enabled by default, so it may be necessary to boot into DOS, disable PnP operation, and configure the card to some base I/O address and IRQ setting which are available. Once this is done Linux should have no problems detecting the NIC at boot-time. I'm not sure about what needs to be done in the case of a PCI card since I don't currently have a PC which supports either PCI or PnP.

Note from another user:

Shaw now also issues SMC PCI ethernet cards. They give these out without boxes or manuals. I found out that these are the SMC EtherPower PCI RJ45 card (model 8432T). They use the DEC 21041 chip so the tulip ethernet driver is needed for it.

If you need to set up your POP3 mailboxes you can do that at following URL: <https://profile.home.net/Users/menu.htm> and you can login and setup the POP3 mailboxes that way.

Oh, and for the record, Shaw's technical support is horrendous. The best place to go for information is the `athome.users-unix` newsgroup (which is not even mentioned by any of the documentation) or please consult <http://www.ee.ualberta.ca/~pmok/linux/>.

Cogeco Cable, Canada

This information is provided thanks to Sean O'Grady <sean@incisive.dhs.org>:

I have a Cable Modem through a company called Cogeco Cable located in various parts of Canada. They are part of the "Wave" system which includes Rogers Cable and Shaw Cable. The technical setup is different for each provider though. They supplied me with a D-Link ethernet card (the version of that has changed since then but I believe are still using D-Link) and a Zenith modem. The Ip setup is easy since they use DHCP so all I did was [install the DHCP daemon](#) and that was that. If you like you can list my e-mail address <togrady@cgocable.net> for anyone with questions.

I contacted you awhile ago with information regarding setting up a cable modem under Cogeco (the mail came from togrady@cgocable.net). Well I have some updates to give you. Cogeco has now joined the @HOME network although I haven't seen anything good come out of yet. The modems have changed as well, instead of the old Zenith modems we now are using a Samsung InfoRanger SCM-100R modem. The modem changed has not affected the ease of setting up Linux with the cable modem. All that is still required is a functioning network card and [working DHCP client](#) and you will be able to get the network functioning quickly. Many people send questions to me regarding various cable modem/dhcp/networking issues and as a result I have started to put together some help pages. The are located at <http://incisive.dhs.org>.

Additional info has been provided Craig Kossowski:

Cogeco seems to be slowly getting themselves sorted out wrt cable modems and is now part of the set of Canadian cable companies that have cooperated on the @Home network. A network card is provided as part of their large (but currently waived) hookup fee; the D-Link 528CT for PCI capable systems, and, I believe, D-Link 220T for ISA systems (and possibly PCI capable computers that will accept the ISA card, they tried it in my roommate's system first, only when that didn't work did they put in the PCI 528CT). I'd recommend asking for the PCI if you have the choice, as I know that setup can work with Linux from my experience.

Both of these are NE2000 boards to the best of my knowledge. I got the PCI D-Link 528CT which uses the RealTek 8029 chipset, and Linux can deal with easily. I just recompiled the kernel, and after a little hiccup due to RedHat 5.2's lilo default not looking for the kernel at /vmlinuz, I was up and running. DHCP (with a 24 hour lease lifetime) is used for IP resolution and everything worked automatically (I had selected a DHCP config when I installed Linux, others may need to do slightly more configuration, but it doesn't require anything non-standard). The 528 is supposedly plug & play, but I had no problems using it in my Linux box (2.0.34). Note that you need to compile in (either built in or module, I used built in) the PCI NE2k code, and unlike what is implied in the Ethernet HOWTO, you don't need to also include the ISA NE2000 code to use this chipset. I don't have experience with the ISA D-Link 220T, but I would assume it's just as easy to set up, it's listed as a supported card in the Ethernet HOWTO.

The Cable modem I got was a great heavy thing that looks like a heatsink for a small nuclear reactor. Nearly a square foot in desk space, made by LANcity, and I believe rated for 10Mbps shared bandwidth on the cable subset side of things, it has a reasonably good set of LEDs to show you what it's doing once you figure out what each one is. While throughput will obviously vary, I see transfer rates around 10kB/s (80kbit/s) and up during the day, to 50-60kB/s at night, when presumably things are quieter on the backbone. Subjectively, it's very fast, and beats even fast modems hands down. I haven't had it long enough to determine uptime yet, so I can't comment there.

At the time of this writing (Jan 99), Cogeco's service runs \$150 for installation, including the card, and \$39.99 a month for the service. They're currently waiving the modem rental fee "until they are available for purchase" but the information there is mixed from 15.04/month as of early 1999 (from the web page) to "not for some time" from their phone staff. Included with this is up to five email addresses, and 5MB of Web space. They also say there is a 1GB/month limit, though I'm told (by their tech support people) that this isn't strictly enforced, and is more to discourage ftp sites with high traffic bogging down the subnets, and to provide them with an avenue to prevent such. Although their literature doesn't say so, additional computers are an extra 10.70 a month, though unsupported, and you have to provide the hub, wiring and additional ethercards if you do this, they're basically charging the extra for the lease of an additional IP as far as I can tell from their information.

Optimum Online, New York and Connecticut

This information is provided by Seth Greenfield <islesfan@nassau.cv.net>:

Optimum Online uses DHCP, and rrlclientd in Linux, by John Clark. Check out <http://www.netaxis.com/~wharris/optimum/index.html> for instructions on how to set up your service with Linux.

Tell people who had private ips who have public ips now to change their /etc/resolv.conf to look like

this...

```
domain nassau.cv.net (or optonline.net depenind on the users mood)
nameserver 167.206.112.3
nameserver 167.206.112.4
```

Other Than that its the same setup procedure note: the rrlclientd software will work if you tell it dce-server and you specify the domain as optonline.net

Singapore Cable Vision, Singapore

This information is provided by Jieyao <jieyao@letterbox.com>:

SCV provides Motorola Cybersurfer modem connected to the network card via UTP cable. The IP setup is easy since they use DHCP so all you need to do is [install the dhcp daemon](#). If you can't make access the first time, turn the modem off then on again.

Cable Wanadoo, France and Netherlands (formerly Casema)

This information is provided by Jerome Sautret <Jerome.Sautret@wanadoo.fr> and it applies to Wanadoo's French customers:

I just read your Cable Modem HOWTO. I live in France, and I use Cable Wanadoo, the cable service of France Telecom, which is the main telecom operator in France. It is available in a few cities in France at the moment, like Angers and Metz. This service provides a dynamic IP address via DHCP. It uses a COM 21 modem plugged in a 10BaseT Ethernet card. The IP setup is easy just read the [DHCP mini HOWTO](#).

Information about Netherlands is provided by Costyn van Dongen <cvd@casema.net>:

The current Casema cable modems operate via the serial port, acting like normal modems, answering AT commands like phone modems. The setup is really very easy, because all the chat script needs to do is dial ATDT4. (this is in ppp-on-dialer). Hence it uses PPP, which is unusual for most cable modems.

Relevant files are included /etc/ppp/ppp-on

```
DIALER_SCRIPT=/etc/ppp/ppp-on-dialer
exec /usr/sbin/pppd -detach /dev/ttyS0 115200 connect $DIALER_SCRIPT 38;
```

```
/etc/ppp/ppp-on-dialer
```

```
exec /usr/sbin/chat -e ' AT ' ATDT4
```

```
/etc/ppp/ppp-off
```

```
#!/bin/sh
#####
#
# Determine the device to be terminated.
```

Cable Modem Providers HOWTO

```
#
sleep 5

if [ "$1" = "" ]; then
    DEVICE=ppp0
else
    DEVICE=$1
fi
#
#####
#
# If the ppp0 pid file is present then the program is running. Stop it.
if [ -r /var/run/$DEVICE.pid ]; then
    kill -INT `cat /var/run/$DEVICE.pid`
#
# If the kill did not work then there is no process running for this
# pid. It may also mean that the lock file will be left. You may wish
# to delete the lock file at the same time.
    if [ ! "$?" = "0" ]; then
        rm -f /var/run/$DEVICE.pid
        echo "ERROR: Removed stale pid file"
        exit 1
    fi
#
# Success. Let pppd clean up its own junk.
    echo "PPP link to $DEVICE terminated."
    exit 0
fi
#
# The ppp process is not running for ppp0
echo "ERROR: PPP link is not active on $DEVICE"
exit 1
```

/etc/ppp/keepalive.sh

```
#!/bin/sh

# keepalive.sh

# This is a keepalive script for the Casema cable modems. This script was
# lifted from the /usr/doc/HOWTO/unmaintained/mini/Dynamic-IP-Hacks
# document. There should be an entry in your crontab looking like:
# */2 * * * * /etc/ppp/keepalive.sh
# to run this script every 2 minutes to see if your connection is still
# up, if not, gracefully kill the pppd process and remake it.
# Modify paths as necessary.

if [ -f /var/run/ppp0.pid ]; then
    ping -c4 -l3 195.96.96.97 262;38;1 | grep "0 packets" 62; /dev/null 38;38; \
    { /etc/ppp/ppp-off 62; /dev/null 262;38;1 ; sleep 2 ; /etc/ppp/ppp-on }
else
    /etc/ppp/ppp-on
fi
```

/etc/resolv.conf

```
search dynip.com
nameserver 195.96.96.97
```

```
nameserver 195.96.96.33
```

`/etc/sysconfig/network` (this file applies only to RedHat and Mandrake distributions, adapt accordingly for other distributions)

```
GATEWAYDEV=ppp0  
GATEWAY=195.96.96.97
```

I've documented some things in the files themselves. The `ppp-on` script is called during boot time from `/etc/rc.d/init.d/ppp` and the `ppp-off` script during shutdown. The `ppp-on-dialer` is called from the `ppp-on` script. The `keepalive` script for keeping the connection alive as long as the computer is on (might as well, right?) is called from `crontab` (see the `keepalive` file for details). The `/etc/sysconfig/network` file specifies the default gateway for routing. The `resolv.conf` tells the computer which IP of `casema.net` to send DNS queries to (this is pretty standard across all unices, I believe).

I've forgotten to include the `/etc/ppp/pap-secrets` which should be the same as the [ExpressNet, Maryland](#), Maryland. There's also the question of the `ip-up`, `ip-down`. These however, didn't need to be changed. I've also included the `options.ttyS0` file, which should be in `/etc/ppp/ppp-on`. It is read by the `pppd` daemon as it logs on. There are a couple options like `defaultrouteadd` that should be on. `ttyS0` is the port where you install your modem mine is on `COM1 == ttyS0`. Change accordingly.

```
/etc/ppp/options.ttyS0
```

```
asyncmap 0  
crtsets  
defaultroute  
lock  
modem  
name cvd
```

I received notice from Casema a couple days ago that they will be changing their name to [wanadoo.nl](#). So you might, in your document, refer to both: "wanadoo.nl (formerly casema.net)" This will be happening as of Sept. 20th.

I will be happy to provide you with information and answer any more questions. I my explanations aren't Red Hat only. I haven't used other systems, so I can't judge. I hope this is useful to you.

Prime Cable Expressnet, Las Vegas, NV

This information is provided by jedi <jedi@penguin.lcvm.com>:

They use the Com21 which can either be connected directly to your 10baseT input or inserted into the downlink input on your router. Static IPs are available for \$10 per month and the usual address assignment is through DHCP (<http://www.oswg.org/oswg-nightly/DHCP.html>)

More information can be obtained from <http://penguin.lcvm.com>.

TVD, Belgium

This information is provided by Pierre-Yves Keldermans <pykeldermans@usa.net>:

At home, my cable-TV company is "TVD", it is the first company to offer internet on the cable in Belgium.

- Hardware : LanCity cable modem & 10-Base-T NIC (DLink ISA if you buy it from TVD)
 - Config : DHCP (<http://www.oswg.org/oswg-nightly/DHCP.html>)
 - Prices :
 - ◆ Cheap : for home use, real IP address but dynamic, DHCP expires every 10 min, 1 user only (theoretically ...), no problem with firewall, the web server on my computer is even reachable from outside..., full speed FROM internet, small speed TO internet.
 - ◆ No so cheap : for small office use, same as 1) but not limited to 1 user and more speed TO internet.
 - ◆ Expensive : for WWW servers & ... , Static IP addresses and reserved bandwidth TO internet following price.
 - Speed :
 - ◆ From TVD's mirror site : up to 250Kbytes/sec, very nice (and YES, they have some Linux mirrors like redhat ... :-))
 - ◆ From internet : variable but rather good if the remote server isn't overloaded.
 - For more info : <http://www.tvd.be> and <http://www.tvd.net>.
-

Telenet Vlaanderen, Belgium

This information provided by Karel Goderis <karel.goderis@pandora.be>:

- Operator: Telenet Vlaanderen – Operatial in flemish speaking (northern) part of Belgium
- Hardware: Motorola CyberSURFR Wave Cable Modem using an RJ-45 Ethernet straight cable to a PC

Cable Modem Providers HOWTO

- Software: Standard config is Windoze + Modified Netscape for newbie installations, although Linux i386 support is there under the form of mirrored redhat.com software on the internal ftp servers. A dedicated linux newsgroup is available for support. Most users depend on ipchains/ipfwadm in 2.2.x, or have a "Linux Router"-project implementation.
- IP Setup: [DHCP address assignment](#), single address only. Outgoing : all ports accepted, except mandatory use of Netscape Proxy on port 8080, and thus port 80 blocked. Incoming : ports 0-1024 blocked, but re-allocation of ports on Linux works fine.
- Pricing: one-off installation : BF 10000 (+\$ 250) + BF 3000 (\$75) deposit for the cable modem (+\$25 for Ethernet NIC if not present in pc) monthly rental : BF 1500 (\$40)
- Services: redhat.com netscape.com mirrors, quake I and II servers, proxy, mail relay and pop account (4 aliases) and the other usual stuff you need to survive on the net.
- Caveats: Telenet states that you can download 300Mbytes/month, but this rule is not enforced unless there is a obvious abuse (i.e. you download 300Mbytes/*day* ;-). This limit is applied on their network boundary, not on what you transmit on the internal network, so it does not take into account what you download of the mirrors.

More info at <http://www.pandora.be/> or <http://www.telenet.be/>.

Total-Web, United States

This information is provided by iota <iota@inaxx.net>:

I work for Convergence.com, a cable internet company who provides the network monitoring, technical support, and advice to cable providers (who, in turn, provide the internet service to their customers). Most of our markets are through Cablevision, one of the more popular cable providers in the eastern US. The service name that they operate their cable internet service under is "Total-Web". Customers are provided with a static IP; simply set this up like you would any other ethernet device under Linux. The modems we use are LanCity LCP's and COM21 ComPort's, but these devices should be transparent to your computer.

Total-Web is available in limited areas, including: Miami Beach, FL; Gwinnett County and Roswell, GA; Cookeville, Lebanon, and Columbia, TN; and many other test markets.

CyberCable, Paris, France

This information is provided by David Monniaux:

CyberCable gives you an ethernet card if you need one. It is a cheap NE2000 clone, ISA-Pnp or PCI I think. They only know how to set up the stuff for Windows, but reports from other people say that they let you use their access with other systems, provided you do the software setup yourself.

They use [DHCP](#) DHCPd in RedHat worked immediately. In RedHat's **netcfg**, this means selecting "DHCP configuration". There are still some problems sometimes: DHCP outputs some error messages, but things still

work afterwards generally (?). This seems related to rebooting; it looks like the cable system doesn't reallocate the line for one minute after reboot.

CyberCable's web site is at <http://www.cybercable.fr>.

StjärnTV, Stockholm Sweden

This information is provided by Fredrik Staxaeng <fstx@algorithmica.se>:

StjärnTV sells a Bay Networks Versalar Cable Modem 100, and they include a NetGear ethernet card in the initial fee. Just set your interface to [DHCP](#). Info about their service is available at <http://www.starport.se>.

GCI.Net, Alaska

This information is provided by GCI Tech Support <support@gci.net>:

GCI provides CableModem services in Alaska, currently in Anchorage, Juneau, and Fairbanks. GCI uses Com21 which can either be connected directly to your 10baseT input or inserted into the downlink input on your router. Static IPs are available for \$10 per month and the usual address assignment is through [DHCP](#). More information can be obtained from <http://www.gci.net>.

Saturn Communication NZ Ltd, New Zealand

This information is provided by Nigel Win <nigelwin@the.net.nz>:

The installation of Saturn Cable Modem connection is simple as installation of a NIC. They will only install and support the Windows Machines but Linux user will have no problem. They provide a static ip address for each connection along with class B Net mask 255.255.0.0 , DNS Servers and Gateway address to use. If you are on a Redhat box, open the control-panel and open network configuration and simply enter the detail information provided by Saturn. For other linux distributions user should read NET-3-HOWTO.

They use Com21 Cable Modem <http://www.com21.com> and provide free D-Link PCI or ISA network card if you require. The monthly fee already includes Cable Modem rental and they offer 2 connection speed plans (512k/128k and 2Mbps/256K). But they charge you on how much traffic you transfer :). The speed is not bad since I am getting around 90K for download speed at peak time.

More info about Saturn is available at <http://www.saturn.co.nz>.

Chello, Netherlands

This information is provided by Jaco de Groot <jaco@dynasol.com>:

I'm from The Netherlands and use a Terayon cable modem under Red Hat 6.0. My provider is Chello. I have installation instructions in Dutch on my homepage <http://www.dynasol.nl/~jaco/redhat6.0/install.html>. Chello has replaced all LAN-City modem in my city with Terayon modems (configuration remains the same because it uses the same network card).

If you are not using RedHat check out the [DHCP mini-HOWTO](#) on instructions how you can get your computer to connect to Chello network.

Info about Chello can be found at <http://www.chello.nl/>

Adelphia Powerlink, USA

This information is provided by Kevin Pfohl <kspfohl@adelphia.net>:

If you have a Adelphia service with a two way modem connection (e.g. you don't need a regular phone modem to dial in) all you have to do is install Linux and use [DHCP](#) to get your network connection going. If you have a one-way modem please read info on [Adelphia Powerlink, USA](#).

21st Century Telecom, Chicago, IL, USA

This information is provided by Jens B. Jorgensen <jjorgens@bdsinc.com>:

21st Century uses a "Regular" cable modem, that is up-stream and down-stream are both over the cable connection. The equipment is made by Zenith. The installer will bring along a NIC with them, (mine was an OEM Intel EtherExpress Pro 10/100) which is connected via a 10-base-T cable (crossover?) directly to the cable modem. All 21st Century customers are assigned a static IP address. Just make sure your kernel is configured to support this card or insmod the module for it a configure the IP. You'll also be provided with a gateway address which you'll need to set the default route to. Be mindful of the netmask (255.255.0.0 for me) on the ether interface. Also note that the cable modem seems to 'learn' the ethernet address of the adapter you're provided with and will only work wit that adapter. I don't know if resetting the cable modem would cause it to relearn the address or not. I didn't feel the need to try the cable modem with another adapter.

Additional notes by Mark Howard <mark@xanderbelly.com>

Please note that this service has been changed; they now only use Nortel cable modems and everyone is assigned a dynamic IP address now. Also, my Nortel cable modem does not seem to care which machine or MAC address is connected to it; I have set up multiple machines on it and they all worked fine. In fact, if you hang a hub directly off the cable modem, you can get multiple valid IP adresses assigned through DHCP! I wouldn't recommend this, however, as a long term solution. I have a RH box set up as a firewall doing NAT for me on the one address, and it works just great. This service is particularly good – I consistently get 95–100KBps, or just about a 1Mbps rate. I also live in a coach house rental here in Chicago, and although they wanted to run new cable in the apartment, I told them to use the old cable because it was not my place.

They said they could not guarantee that the service would work, but of course it does work just fine! So don't let them talk you into running new cable if you can avoid it.

Also, if you want to set up your own web server from home, I used a great service called EasyDNS.com where you pay them \$25 per year per domain and you can control your DNS settings (even SOA, TTL, etc...) 24/7/265 through a web based (PHP no less) interface. So if I ever need to reboot my Linux box (which I never do really) I can go in and update the IP address that my web server www.xanderbelly.com and mail server

HTVi, Helsinki, Finland

This information is provided by Markku Immonen <wired.poet@sci.fi>:

HTV is the local cable TV company. Their Internet product is called HTVi. They issue a Motorola CYBERSURFR Wave cable modem for all customers. It plugs into an ethernet card using a 10BaseT (RJ-45) cable. Customers have two options: [DHCP](#) or a static IP address. The [DHCP](#) (dynamic IP address) option is 50 Finnish marks cheaper; in October 1999 the prices were 245 FIM per month for a dynamic address and 295 FIM for a static one.

I opted for a static IP. Configuration was incredibly easy. They give you a couple of info brochures which contain the necessary IP and networking information.

About speed: it varies but is generally acceptable, from 30 kbytes/sec to 200 kbytes/sec. Your best bet is the early morning hours. The fastest download speed so far was 470 kbytes/sec from a Finnish Linuxberg mirror.

More information about HTVi can be found at <http://www.htvi.net/>.

Garden State Cable, New Jersey

This information is provided by Denis Voitenko <denis@o3m.com>:

In New Jersey Garden State Cable offers @Home. They give you a 3Com CMX series cable modem and a SMC PCI NIC with the DIGITAL chip. It works just perfect with the Tulip driver. They assign static IP addresses.

One more interesting thing. Unlike in most places, upstream speed is not limited to 128kbs.

Garden State cable web pages are located at <http://www.gardenstatecable.com/>.

Zoom Internet, Butler County, PA

This information is provided by Jim Garrison <garrison@olga.net>:

Zoom internet <http://www.zoominternet.net/> is a cable ISP. They provide a Bay Networks cable modem, which connects to a 10-Base-T ethernet card. The only thing required to set it up is to enable [DHCP](#).

Note: They provide the cable modem, but you must have your ethernet card working properly with [DHCP](#) before the installation guys come.

Charter Pipeline, St. Louis Metro Area

This information is provided by Chris Weiss <chris@free-source.com>:

Charter gave me a 3Com cable modem that uses DHCP. I simply followed the [DHCP mini-HOWTO](#) and my 256Kbps connection was running at over 350Kbps!

Netcabo, TV Cabo, Portugal

This information is provided by Marco Soeima <msoeima@netcabo.pt>:

It's a Portuguese ISP and it's available through TV Cabo. The hardware consists of a RealTek ethernet card (just use the rtl8139.o module) and a 3Com U.S. Robotics CMX cable modem. The only thing required to get one's cable access up and running is configure the ethernet card and install [DHCP](#). After that it works like a charm!

More information about Netcabo can be found at <http://www.netcabo.pt>.

Supercable, Spain

This information is provided by Mario Galan <galan@arguired.es>:

The setup isn't so much different than other Cable providers. They offer a SMC (I think) network card but you can use yours if you want. They then install a cable modem made by com21 (<http://www.com21.com>). IP setup is easy since it uses DHCP so I don't think you should have any problems under a modern linux distribution.

Last thing worth to be said is that Supercable doesn't provide support for Linux but you can always ask your questions in news.supercable.es in the Linux area. Their web page is located at <http://www.supercable.es> (WARNING: get ready to download an almost 1MB of useless Macromedia's Flash garbage).

NTL, United Kingdom

This information is provided by cogNiTiON <cog-cablemodem@cognite.net>:

This assumes that you've spoken to NTL, you have the cable modem, the cable line installed and your network card installed and recognised. You should also have your MAC address registered with NTL. (NTL contact: <http://www.ntl.com/cablemodems/>)

Now all you have to do is connect your cable modem to your network card and run the DHCP client. I've found that you have to specify the username you supplied during the registration process, on the command line: e.g. `root # dhcpcd -h cognition` (substitute cognition for your user name.). For any other problems with DHCP please check out the [DHCP mini-HOWTO](#).

I've also found that occasionally the 3COM CMX modem used needs to be rebooted (power off, press the reset button on the back, power on) if left connected 24/7.

Nameservers used by NTL are: 194.168.4.100 and 194.168.8.100, so those should be added to your `/etc/resolv.conf`.

I've found NTL's tech support to be close to useless, most the time and they don't officially support Linux, so you're probably better off contacting your local LUG (<http://www.lug.org.uk/>), or you could even try mailing me direct (but I don't promise to be able to respond).

Hybrid Cable modem ISPs

If you think you have the card recognized you have to now look at the entry for your ISP. I have sorted the information according to a provider because setups are mostly ISP specific.

This section is for people who are using so-called "hybrid" cable modems. Hybrid modems are modems that need two hookups (connections), one to the (TV) cable and one to the phone line. TV cable is used for downloading while phone line is used for uploading.

Adelphia Powerlink, USA

Instructions on how to get your Adelphia Powerlink hybrid modem running under Linux can be found at <http://linuxpower.cx/~cable/>

LinkExpress, Brasil

This information is provided by Rodrigo Severo <rodrigo@who.net>:

First of all, let me tell you that here we have the MMD Cable Modem from General Instrument. We use SurfBoard 1000 ISA board for download and a regular telephone modem for upload. I would prefer to use an external board like the SurfBoard 1200 which is available only to corporate users, i.e., willing to pay US\$ 200,00 instead of the regular US\$ 30,00 so I found out this driver for the internal ISA board. For home users, Linkexpress (my ISP) just installs and supports the internal ISA board – Surfboard 1000. If you want to use it, you have to install Windows 95/98 on your computer and let the guy from Linkexpress install the equipment. After that, make your Linux installation as you like.

I started from the files I downloaded from <http://linuxpower.cx/~cable/>.

Here is the relevant data:

- ISP: LinkExpress <http://www.linkepress.com.br>
- DNS: 200.252.88.20
- Frequency: 351 MHz
- Phone number: 321 3300
- City: Brasilia
- Province: Distrito Federal
- Upload speed: regular 33.6K (just the download goes through the cable modem)

During a download from a local tu cows mirror I got 70KB~300KB per second. From distant sites I managed to get 30KB/s a few times.

More information about LinkExpress can be found at <http://www.linkexpress.com.br/>.

ExpressNet, Maryland

I recently accured an expressnet cable modem for the maryland area. it is a com21 one way modem and I had a hell a time making it work so id like to share my knowledge in your faq maybe? well heres what I learned inorder for the PPP connection to authenticate the user must be running PAP which consists of editing the /etc/ppp/pap-secrets file accordingly:

```
#!/etc/ppp/pap-secrets
#this is the PAP secrets file for PPP
#the quotes are required on both
"username" * "password"
```

after that they must create a PPP-on script what ever name it must execute this command:

```
exec /usr/sbin/pppd debug persist /dev/ttyS1 38400 0.0.0.0:0.0.0.0 connect "chat -v TIMEOUT 3 ABC
```

this must be done with no carriage returns either

next step is to modify the /etc/ppp/ip-up.local file if it does not exist it should be created it should read the following:

```
#!/bin/bash
#/etc/ppp/ip-up.local
#this will set up the route to the ppp device as default everytime the modem
#authenticates dont include it if you do not want this option
route add default ppp0
```

then the user must configure their ethernet card on box I have a 3c905.

I configured it the following way:

```
ifconfig eth0 up
ifconfig eth0 10.0.0.1 broadcast 10.0.0.15 netmask 255.255.255.240
```

then I added some more routes to the kernel routing table as follows:

```
route add -host 10.0.0.1 eth0
route add -net 10.0.0.0 eth0
```

all of these commands can be added into a script file as follows

```
#!/bin/bash
#This is a script file for establishing the cable modem IF device properties as
#well as the route properties
ifconfig eth0 up
ifconfig eth0 10.0.0.1 broadcast 10.0.0.15 netmask 255.255.255.240
route add -host 10.0.0.1 eth0
```

```
route add -net 10.0.0.0 eth0
```

thats all and the cable modem connection is setup fast as hell I might add.

Contributors: Chris <chris@worm.garden.net> and Mike Milbert <mike@milbert.com>.

Charter Pipeline, Riverside, CA

This information is provided by Gabriel Peters <qpx1@earthlink.net>:

(I have Charter Pipeline, Powered by Earthlink, Riverside, CA) The modem is a Com21 ComPORT 2000.. connected to the computer via 10 BaseT ethernet cable to a Linksys 10/100 ethernet card (Cable modem, ethernet cabling, and ethernet card supplied) The ethernet card driver that I had to compile into the kernel was for the DEC Tulip. auto-detected the card and set it up nicely.

This is the information I needed:

```
eth0 IP address - 10.0.0.1
DNS Servers - 207.217.126.81, 207.217.120.83
Subnet Mask - 255.255.255.240
Gateway: None
Your hostname should be CBL-(your username).hs.earthlink.net
```

Then you need to configure PPP to dial up your access number as normal.. What I had to do to get it to work was this: I typed **ifconfig eth0 down** to shutdown the ethernet, **ppp-go** to dial in, once it reported my IP addresses, i typed **ifconfig eth0 up** and voila, it worked perfectly.

Editor's comment:

Each time PPP link is brought up or down pppd executes scripts `/etc/ppp/ip-up` (link up) and `/etc/ppp/ip-down` (link down) so in order to have Ethernet network go up and down with PPP link simply add:

```
ifconfig eth0 up
```

before `exit 0` statement in `/etc/ppp/ip-up` and `ifconfig eth0 down` in `ip-down`.

Chambers Cable, Chico, CA / Fundy Cable, New Brunswick

This information is provided by Brian Moore <bem@cmc.net>:

For those using Chambers Cable in Chico, CA, the product is the Scientific Atlanta data Xcellerator(tm) modem. Mike Cumings of Cal State University wrote a nifty driver for it, available at <http://www.ecst.csuchico.edu/~mcumings/cablemodem/>. This should also work for others using the same modem, such as Fundy Cable of New Brunswick.

Smyrna Cable, Atlanta, GA

This information is provided by Blake Sorensen <librarian@unseen.net>:

I have Smyrna Connect, supported by Smyrna Cable in Atlanta, GA. They are currently (June, 1999) using half-duplex but are scheduled to have full-duplex within six months. The Cable Modem is a ComPort Com21. Here is the configuration stuff I needed to get my linux box running as my dialup.

My eth0 device is a 3com ISA card set to IP 10.0.0.1, Bcast 10.0.0.255, Mask 255.255.255.0.

The machine is set to the hostname Smyrna418.smyrnacable.net where Smyrna418 is my username. I don't think this is that important, but I haven't fiddled with it to see if it will still work once I change the hostname.

My modem is an external 56K X2 US Robotics on /dev/ttyS0.

I also have eth1 (a DEC tulip based pci card) set up as 192.168.0.1 as the gateway for the rest of my network to masquerade behind.

Smyrna Connect does not give you DNS info for the cablemodem since you are supposed to use the Windows PPP feature of using the default DNS for the server you dial in to. However, they do have one that works at 209.116.152.252.

I use a ppp connection script to dial in, but the guts of it is this:

```
/usr/sbin/pppd modem /dev/ttyS0 persist mru 1000 asyncmap 0 \  
-detach crtscts user Smyrna??? defaultroute connect '/usr/sbin/chat \  
ABORT BUSY ABORT ERROR "" ATZ OK ATDT7704365664 CONNECT' \  
57600 0.0.0.0:0.0.0.0 38;
```

I keep the persist in there since Smyrna Connect has a habit of dropping the connection every once in awhile, and this way it automatically dials back in. You will need to replace the Smyrna??? in the above command with your own username and put the line:

```
Smyrna???      Smyrna???      password
```

in the file /etc/ppp/pap-secrets.

Amnet de Costa Rica, Costa Rica

This information is provided by Roberto Salvatierra <chuby@internettico.com>:

Ok to set up a Hybrid cable modem conection using Costa Rica's Amnet Provider is not all that hard (once you get the hang of it) is like the other providers that use com21 modems, but with some minor diferences.

My Hardware is:

```
CableModem: Com21 ComPort 1000  
Modem      : Rockwell 56k  
Ethernet   : Ne2k PCI clone
```

Cable Modem Providers HOWTO

```
Machine   : i386
Os        : Debian 2.1
Kernel    : either a 2.2.x or a 2.3.x*
```

The first thing I did was disable my whole networking system, mainly because i had a real mess on my routing tables, hosts, and resolv.conf files (I was using several ISP's and an intranet) so I opted for this but that was just me, I even stopped lo so I started with a clean config.

okey first of all if you have a dual system (win/linux) make sure the system is working under windows, that way we can make sure everything is up and running, after that, reboot to linux**.

If you don't have a dual system I found something interesting that MIGHT help you state if the cablemodem and the eth card are functional, first, type this on your system:

```
ifconfig eth0 up
ifconfig eth0 10.0.0.1 netmask 255.255.255.240
route add -host 10.0.0.1 eth0
```

after that look in your system log files for pings from 10.0.0.4 (I have no idea why but this machine keeps "pinging" my box ,I asked amnet's help desk what was this all about, and they didn't give me an answer I guess they do It to check the network integrity) well anyhow, if you get this pings means that amnet connection is working okey.

well after we have stated that the cable modem is up and running the rest is quite easy.

if you did the above step now lets bring eth0 down (**ifconfig eth0 down**)

first lets place amnet's DNS where it sould be in /etc/resolv.conf so we need to add this:

```
search amnet.co.cr
nameserver 196.40.3.10
```

okey now we need a ppp script for the modem

this one works: (we all use the same username "amnet" and password "conexion" so for this to work just cut and paste)

```
exec /usr/sbin/pppd /dev/ttyS1 57600 0.0.0.0:0.0.0.0 debug user amnet
defaultroute connect "chat -v TIMEOUT 60 ABORT 'BUSY' ABORT 'NOANSWER' ''
ATH TIMEOUT 60 'OK' ATDT2969130 CONNECT ''"
```

amnet uses PAP (password authentication protocol) to authenticate users so we need to add a line to /etc/ppp/pap-secrets:

```
"amnet" * "conexion"
```

okey now you need to bring ppp up so just run that script to check that it works type: **ifconfig**, now you should have something like this:

```
ppp0      Link encap:Point-to-Point Protocol
          inet addr:196.40.3.177 P-t-P:196.40.30.114 Mask:255.255.255.255
          UP POINTOPOINT RUNNING NOARP MULTICAST MTU:1500 Metric:1
          RX packets:7 errors:1 dropped:0 overruns:0 frame:1
```

Cable Modem Providers HOWTO

```
TX packets:9 errors:0 dropped:0 overruns:0 carrier:0
Collisions:0
```

Important: make sure at this point that you do not have eth0 up or it WILL NOT WORK

okey after you have this working type this:

```
ifconfig eth0 up
ifconfig eth0 10.0.0.1 netmask 255.255.255.240
route add -host 10.0.0.1 eth0
```

now type **ifconfig** you should have something like this:

```
eth0      Link encap:Ethernet  HWaddr 00:00:21:61:7C:F0
          inet addr:10.0.0.1  Bcast:10.255.255.255  Mask:255.255.255.240
          UP BROADCAST RUNNING MULTICAST  MTU:1500  Metric:1
          RX packets:5594 errors:0 dropped:0 overruns:0 frame:0
          TX packets:241 errors:0 dropped:0 overruns:0 carrier:0
          Collisions:0
          Interrupt:11 Base address:0xde00

ppp0      Link encap:Point-to-Point Protocol
          inet addr:196.40.3.142  P-t-P:196.40.30.114  Mask:255.255.255.255
          UP POINTOPOINT RUNNING NOARP MULTICAST  MTU:1500  Metric:1
          RX packets:7 errors:2 dropped:0 overruns:0 frame:0
          TX packets:65 errors:0 dropped:0 overruns:0 carrier:0
          Collisions:0
```

and voila , your conection is up and running !!

some tips:

when you are not connected your eth should be DOWN activate eth only AFTER ppp is running OR IT WILL NOT WORK.

To make this you can add the eth up and down scripts to /etc/ppp/ip-up and /etc/ppp/ip-down scripts (on debian just place them on /etc/ppp/ip-up.d and /etc/ppp/ip-down.d)

ip-up should contain this:

```
ifconfig eth0 up
ifconfig eth0 10.0.0.1 netmask 255.255.255.240
route add -host 10.0.0.1 eth0
```

and ip-down this:

```
ifconfig eth0 down
```

now here is a WORKING route table that might help you troubleshooting the system: (my HOSTN = hostname)

Cable Modem Providers HOWTO

Destination	Gateway	Genmask	Flags	Metric	Ref	Use
Iface						
HOSTN.amnet.co.	*	255.255.255.255	UH	0	0	0 eth0
196.40.30.114	*	255.255.255.255	UH	0	0	0 ppp0
HOSTN.amnet.co.	*	255.255.255.240	U	0	0	0 eth0
default	196.40.30.114	0.0.0.0	UG	0	0	0 ppp0

Relevant Information:

```
DNS      : 196.40.3.10
----- eth0 -----
IP       : 10.0.0.1
NetMask  : 255.255.255.240
Bcast    : 10.255.255.255
Gateway  : NONE
----- ppp -----
IP       : 196.40.X.X (Dhcp Pool)
NetMask  : 255.255.255.255
Bcast    : Unknown
Gateway  : Self Default
```

that's all folks !!

if you need this in spanish look for it in: <http://www.internetTICO.com/cablemodem.html>

Questions/comments: <chuby@internettico.com>. Please use the subject CABLEMODEM or I will not answer.

Biography: Linux Cable Modem mini-how-to Chapter: Hybrid cable modems sections, 4.2 and 4.4

* about using 2.3.x kernels, this are unstable as anyone knows but I found that the performace with this kernel and amnet is LOUSY (like a 14K modem) I DO NOT RECOMEND USING IT, but anyhow if you do use it and you get that your machine does not have ppp do not panic just upgrade your pppd program, 2.3.x kernels use a split async sync interface so pppd < 2.3.10 will NOT work.

** sometimes when I'm using the cable modem on windows and I reboot to linux the modem gets "stupid" so I need to turn off the modem, the machine, then turn on the modem and restart the machine after that it always work. I have no Idea why this happens but I'm guessing that the ethernet card has a different hardware address on windows and linux (wierd) and that the modem keeps this config on an memory, and that it needs to be cleand up for it to work, so if it was working on windows and you are not getting even a ping on linux try this.

More info about Amnet can be obtained at <http://www.amnet.co.cr/>.

Prime Cable, Chicago, IL

This information is provided by Eric Agnew <agnew@goku.dyndns.org>:

I just got a hybrid com21 setup w/ Prime Cable in Chicago, and I have a very important addition that will save other users (particularly debian users w/ newer kernels) a LOT of grief:

When I initially set everything up, I was able to establish the ppp connection just fine, but the only things coming back over eth1 were broadcast packets from an internal (10.0.0.x) network. After 3 weeks of extreme frustration, I finally found the solution in the kernel docs under Documentation/networking/README.sb1000:

Solution — As root type:

```
echo 0 62; /proc/sys/net/ipv4/conf/cm0/rp_filter'
```

so it can share the same IP address as the ppp0 interface.

The boot-time script that sets this normally on debian systems is in /etc/init.d/networking, in the 'spooftprotect_rp_filter' function. I simply added 'echo 0 > /proc/sys/net/ipv4/conf/eth1/rp_filter' after it had done everything else. To be sure, I also added it to a script I added to /etc/ppp/ip-up.d that brought eth1 up if I was using the cable connection (as opposed to my other straight-ppp connection).

Millennium Digital Media, Maryland

This information is provided by Mike Miller <CableModem@mikemiller.net>:

I live in Maryland (Anne Arundel County) where my cable company is Millennium Digital Media (<http://millenniumdigitalmd.com/>), which offers Cable Modem service from Cablespeed (<http://cablespeed.com/>). Since most areas aren't currently upgraded to 2-way digital service, for now they're giving us a General Instruments SURFboard SB2100D external (hybrid) cable modem (which includes a 33.6 modem), so you plug the cable and phone line right into the cable modem — no need to use your own modem or set up ppp or anything. The modem uses DHCP to determine all the settings and connect to the network, so all I have to do it switch on the modem and it automatically dials up and connects to the network. To get Linux working, all I had to do was load and configure dhcpcd (or dhcp-client). Since I'm using Debian, all I ran was:

```
apt-get install dhcp-client
```

and voila! I was on the net.

If you're running something other than Debian, please read DHCP mini-HOWTO at <http://www.oswg.org/oswg-nightly/DHCP.html>.